



Highly concentrated mixed metal degreaser

AQUASOLV Spray Wash Cleaner-Multi Metal (Aqua 12)

FEATURES/BENEFITS:

Powerful	Removes oils, greases, swarf, dust and grime
Efficient	Highly concentrated, can be used effectively at low concentrations
Non-caustic	Does not contain nitrites, silicates or phosphates
Non-Flammable	Improves safety profile in the workplace
Non-Staining	Fully compatible with Brass, Copper, Aluminium
Multi-Surface Compatible	Safe to use with Ferrous and Non-Ferrous metals

USE:

Spray Wash Cleaner-Multi-Metal is designed to be used at concentration between 2 - 5% but up to 10% depending on level of soiling. Recommended operating temperatures between 50-70 °C.

APPLICATIONS:

For use in high pressure spray equipment to remove oil, grease and swarf from ferrous & non-ferrous metals and plastic components in manufacturing, assembly & pre-paint operations with no staining to brass, aluminium or copper.

Testing/control of cleaner concentration:

Strength is determined using a refractometer. A few drops of solution onto the refractometer prism and the value determined on the scale. This is read on a graph available on request from Mykal.

PRECAUTIONS:

For further information see MSDS

SPECIFICATIONS:

Form Liquid
Colour Colourless
Odour Mild
Melting Point..... Undetermined
Boiling point..... 100 °C
Flashpoint: Non applicable
Density (20 °C) 1,1 g/cm³
Miscibility in water Fully miscible
pH (20 °C) 7.5