

**Safety data sheet**  
According to 1907/2006/EC, Article 31 REACH

Printing date 11.07.2017

Version: 14

Revision: 11.07.2017

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name: **ID RED AERO NEW**

Article number: 00960001

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

**Process category**

PROC7 Industrial spraying

PROC11 Non industrial spraying

Application of the substance / the mixture Degreaser

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RR

United Kingdom

Tel: +44 (0)151 422 1000

Fax: +44 (0)151 422 1011

@: info@zep.co.uk

web: www.zep.co.uk

ZEP Industries BV

Vierlingweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117

Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395

@: sales@zepbenelux.com

ZEP ITALIA SRL

Via Netunese Km. 25.000

04011 Aprilia (LT) - Italy

Tel: +39.06.926691

Fax: +39.06.92747061

@: tecnico@zepeurope.com

Sito: www.zep.it

**Further information obtainable from:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

**1.4 Emergency telephone number:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

GB

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 11.07.2017

Version: 14

Revision: 11.07.2017

Trade name: **ID RED AERO NEW**

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02    GHS07    GHS09

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CE. 927-510-4; Nr. Reg. 01-2119475515-33) 75-100%*
- **Hazard statements**  
H222-H229 *Extremely flammable aerosol. Pressurised container: May burst if heated.*  
H315 *Causes skin irritation.*  
H336 *May cause drowsiness or dizziness.*  
H411 *Toxic to aquatic life with long lasting effects.*
- **Precautionary statements**  
P210 *Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*  
P211 *Do not spray on an open flame or other ignition source.*  
P251 *Do not pierce or burn, even after use.*  
P301+P310 *IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*  
P410+P412 *Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.*  
P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **2.3 Other hazards** *The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** *Active substance with propellant*

#### Dangerous components:

	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CE. 927-510-4; Nr. Reg. 01-2119475515-33) 75-100%	
	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol Flam. Liq. 2, H225	5-10%
CAS: 124-38-9 EINECS: 204-696-9	carbon dioxide Press. Gas D, H280	2.5-5%

- **Ingredients according to Detergents Regulation 648/2004/EC** *For the wording of the listed hazard phrases refer to section 16.*

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** *Immediately remove any clothing soiled by the product.*
- **After inhalation:** *In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:**  
*If skin irritation continues, consult a doctor.*  
*Immediately wash with water and soap and rinse thoroughly.*
- **After swallowing:** *Seek immediate medical advice.*
- **4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

GB

(Contd. on page 3)

# Safety data sheet

## According to 1907/2006/EC, Article 31 REACH

Printing date 11.07.2017

Version: 14

Revision: 11.07.2017

Trade name: **1 D RED AERO NEW**

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information** Cool endangered receptacles with water spray.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**  
Do not spray onto a naked flame or any incandescent material.  
Keep ignition sources away - Do not smoke.  
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings with pressurised containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

#### 64-17-5 ethanol (5-10%)

WEL (Great Britain) Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

#### 124-38-9 carbon dioxide (2.5-5%)

WEL (Great Britain) Short-term value: 27400 mg/m<sup>3</sup>, 15000 ppm

Long-term value: 9150 mg/m<sup>3</sup>, 5000 ppm

IOELV (European Union) Long-term value: 9000 mg/m<sup>3</sup>, 5000 ppm

· **DNELs**

**Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CE. 927-510-4; Nr. Reg. 01-2119475515-33) 75-100%**

Oral DNEL Long term-systemic 149 mg/kg human/day (consumer)

Dermal DNEL Long term-systemic 149 mg/kg human/day (consumer)

(Contd. on page 4)

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 11.07.2017

Version: 14

Revision: 11.07.2017

**Trade name: ID RED AERO NEW**

(Contd. of page 3)

Inhalative	DNEL Long term-systemic mg/m <sup>3</sup>	300 mg/kg human/day (worker) 477 mg/m <sup>3</sup> (consumer) 2085 mg/m <sup>3</sup> (worker)
<b>64-17-5 ethanol</b>		
Oral	DNEL Long term-systemic	87 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	206 mg/kg human/day (consumer) 343 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m <sup>3</sup>	114 mg/m <sup>3</sup> (consumer) 950 mg/m <sup>3</sup> (worker)
	DNEL Long term local mg/m <sup>3</sup>	950 mg/m <sup>3</sup> (consumer) 1900 mg/m <sup>3</sup> (worker)

· **PNECs****64-17-5 ethanol**

PNEC Freshwater mg/L	0.96 mg/L (-)
PNEC Marinewater mg/L	0.79 mg/L (-)
PNEC Freshwater sediment	3.6 mg/Kg (-)
PNEC Marine water sediment	2.9 mg/Kg (-)
PNEC Intermittent release	2.75 mg/l (-)
PNEC Soil	0.63 mg/Kg (-)
PNEC Sewage treatment Plant mg/L	580 mg/L (-)

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter AX

· **Protection of hands:**

Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

<b>Form:</b>	Aerosol
<b>Colour:</b>	Colourless
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.

(Contd. on page 5)

GB

# Safety data sheet

## According to 1907/2006/EC, Article 31 REACH

Printing date 11.07.2017

Version: 14

Revision: 11.07.2017

Trade name: **ID RED AERO NEW**

(Contd. of page 4)

· <b>pH-value:</b>	Not determined.
· <b>Change in condition</b>	
<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	78 °C
· <b>Flash point:</b>	< 0 °C
· <b>Flammability (solid, gas):</b>	Not applicable.
· <b>Ignition temperature:</b>	425 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	0.6 Vol %
<b>Upper:</b>	8.0 Vol %
· <b>Vapour pressure at 20 °C:</b>	48 hPa
· <b>Density at 20 °C:</b>	0.74 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with water:</b>	Insoluble.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	97.0 %
<b>EU-VOC:</b>	717.1 g/l
<b>EU-VOC</b>	96.90 %
<b>Swiss VOC:</b>	96.90 %
· <b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

#### LD/LC50 values relevant for classification:

**Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CE. 927-510-4; Nr. Reg. 01-2119475515-33) 75-100%**

LC50 / 96 h	> 13.4 mg/ltr (Oncorhynchus mykiss (Rainbow trout))
EC 50 / 48 h	3 mg/ltr (Daphnia magna (water flea))

#### 64-17-5 ethanol

Oral	LD50	7060 mg/kg (Rat)
Inhalative	LC50 / 4 h	20000 mg/ltr (Rat)

(Contd. on page 6)

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 11.07.2017

Version: 14

Revision: 11.07.2017

Trade name: **ID RED AERO NEW**

(Contd. of page 5)

EC 50 / 48 h 10800 mg/ltr (*Daphnia magna* (water flea))

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**  
May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Disposal must be made according to official regulations
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>   | <p>UN1950</p>  |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul> | <p>1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS<br/>AEROSOLS, MARINE POLLUTANT<br/>AEROSOLS, flammable</p> |

(Contd. on page 7)

GB

**Safety data sheet**  
According to 1907/2006/EC, Article 31 REACH

Printing date 11.07.2017

Version: 14

Revision: 11.07.2017

Trade name: **I D RED AERO NEW**

(Contd. of page 6)

## · 14.3 Transport hazard class(es)

## · ADR



· Class 2 5F Gases.  
· Label 2.1

## · IMDG



· Class 2.1  
· Label 2.1

## · IATA



· Class 2.1  
· Label 2.1

## · 14.4 Packing group

· ADR, IMDG, IATA Void

## · 14.5 Environmental hazards:

· Marine pollutant: Product contains environmentally hazardous substances: heptane  
Yes  
Symbol (fish and tree)

## · Special marking (ADR):

Symbol (fish and tree)

## · 14.6 Special precautions for user

Warning: Gases.

## · Danger code (Kemler):

-

## · EMS Number:

F-D,S-U

## · Stowage Code

SW1 Protected from sources of heat.  
SW22 For AEROSOLS with a maximum capacity of 1 litre:  
Category A. For AEROSOLS with a capacity above 1 litre:  
Category B. For WASTE AEROSOLS: Category C, Clear of  
living quarters.  
SG69 For AEROSOLS with a maximum capacity of 1 litre:  
Segregation as for class 9. Stow "separated from" class 1 except  
for division 1.4. For AEROSOLS with a capacity above 1 litre:  
Segregation as for the appropriate subdivision of class 2. For  
WASTE AEROSOLS: Segregation as for the appropriate  
subdivision of class 2.

## · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

## · Transport/Additional information:

## · ADR

· Limited quantities (LQ)  
· Excepted quantities (EQ)

IL  
Code: E0  
Not permitted as Excepted Quantity

## · Transport category

2

## · Tunnel restriction code

D

## · IMDG

· Limited quantities (LQ)  
· Excepted quantities (EQ)

IL  
Code: E0  
Not permitted as Excepted Quantity

(Contd. on page 8)

**Safety data sheet**  
According to 1907/2006/EC, Article 31 REACH

Printing date 11.07.2017

Version: 14

Revision: 11.07.2017

**Trade name: ID RED AERO NEW**

(Contd. of page 7)

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

**SECTION 15: Regulatory information**· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Reg. (EC) n. 1272/2008 - CLP;  
 Reg. (EC) n. 1907/2006 – Reach;  
 Reg. (EC) n. 2015/830 annex II of REACH;  
 Reg. (EC) n. 648/04 (Detergents);  
 Reg. (EC) n. 528/12 (Biocides BPR);  
 Reg. (EC) n. 1223/2009 (Cosmetics);  
 Dir. 06/08 ADR – RID - IMDG - IATA;  
 Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III);  
 Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

· **Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **Seveso category**

E2 Hazardous to the Aquatic Environment  
 P3b FLAMMABLE AEROSOLS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3· **National regulations:**· **Technical instructions (air):**

Class	Share in %
NK	75-100

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.  
 H280 Contains gas under pressure; may explode if heated.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H336 May cause drowsiness or dizziness.  
 H411 Toxic to aquatic life with long lasting effects.

· **Department issuing SDS:**

Customer Service  
 NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
 IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61  
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Contact:**

Customer Service  
 NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
 IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61  
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 ICAO: International Civil Aviation Organisation  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)



**Safety data sheet**  
**According to 1907/2006/EC, Article 31 REACH**

Printing date 11.07.2017

Version: 14

Revision: 11.07.2017

**Trade name: I D RED AERO NEW**

(Contd. of page 8)

*ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)**VOC: Volatile Organic Compounds (USA, EU)**DNEL: Derived No-Effect Level (REACH)**PNEC: Predicted No-Effect Concentration (REACH)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Aerosol 1: Aerosols – Category 1**Press. Gas D: Gases under pressure – Dissolved gas**Flam. Liq. 2: Flammable liquids – Category 2**Skin Irrit. 2: Skin corrosion/irritation – Category 2**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**Asp. Tox. 1: Aspiration hazard – Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2***\* Data compared to the previous version altered.**

GB