



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version: 3

Revision: 26.11.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** SOL DEGREASER**Article number:** EU11304**1.2 Relevant identified uses of the substance or mixture and uses advised against****Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)**Application of the substance / the mixture**

Alkaline cleaner/ detergent

Exterior vehicle cleaner

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

ZEP UK Ltd
PO Box 12 Tanhouse Lane
Widnes Cheshire, WA8 0RD
United Kingdom
Phone: +44 0151 422 1000
FAX: +44 0151 422 1011
@: info@zep.co.uk
web: www.zep.co.uk

ZEP Industries BV
Vierlinghweg 30
4612 PN Bergen op Zoom
The Netherlands
Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117
Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395
@: sales@zepbenelux.com

ZEP ITALIA SRL
Via Netunese Km. 25.000
04011 Aprilia (LT) - Italy
Tel: +39.06.926691
Fax: +39.06.92747061
@: tecnico@zpeurope.com
Sito: www.zep.it

Further information obtainable from:**Customer Service**

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710
B: Tel: +32 2 347 0117 Fax: +32 2 347 1395
IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

1.4 Emergency telephone number:**Customer Service**

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710
B: Tel: +32 2 347 0117 Fax: +32 2 347 1395
IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R35: Causes severe burns.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version: 3

Revision: 26.11.2014

Trade name: **SOL DEGREASER**

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
Potassium hydroxide
disodium metasilicate
sodium hydroxide
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P264 Wash thoroughly after handling.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards** The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 61827-42-7	Laureth-7 Xn R22 Xi R38-41 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315	2.5-5%
CAS: 9002-92-0	LAURETH-4 Xi R41 N R50 Eye Dam. 1, H318 Skin Irrit. 2, H315	2.5-5%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-xxxx	1-methoxy-2-propanol R10-67 Flam. Liq. 3, H226 STOT SE 3, H336	2.5-5%
CAS: 97043-91-9	Ammonium diisodecyl sulfosuccinate Xn R22 Xi R41 Eye Dam. 1, H318 Acute Tox. 4, H302	2.5-5%

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version: 3

Revision: 26.11.2014

Trade name: SOL DEGREASER

(Contd. of page 2)

CAS: 1310-58-3 EINECS: 215-181-3 Reg.nr.: 01-2119487136-33	Potassium hydroxide C R35 Xn R22 Skin Corr. 1A, H314 Acute Tox. 4, H302	2.5-5%
CAS: 10213-79-3 EINECS: 229-912-9 Reg.nr.: 01-2119449811-37	disodium metasilicate C R34 Xi R37 Skin Corr. 1B, H314 STOT SE 3, H335	1-2.5%
CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27-xxxx	sodium hydroxide C R35 Met. Corr. 1, H290; Skin Corr. 1A, H314	1-2.5%
CAS: 497-19-8 EINECS: 207-838-8 Reg.nr.: 01-2119485498-19-xxxx	sodium carbonate Xi R36 Eye Irrit. 2, H319	1-2.5%
CAS: 2809-21-4 EINECS: 239-931-4	1-Hydroxyethylene-1,1-diphosphonicacid Xi R41 Eye Dam. 1, H318	1-2.5%
CAS: 532-32-1 EINECS: 208-534-8 Reg.nr.: 01-2119460683-35-xxxx	sodium benzoate Xi R36 Eye Irrit. 2, H319	0.1-1%

· **Ingredients according to Detergents Regulation 648/2004/EC**
For the wording of the listed risk phrases refer to section 16.

Nonionic surfactants	5 - 15%
Phosphonates	< 5%

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Seek medical treatment.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Do not induce vomiting; call for medical help immediately.
Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version: 3

Revision: 26.11.2014

Trade name: SOL DEGREASER

(Contd. of page 3)

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Use only in well ventilated areas.

· **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Do not store together with acids.
· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

107-98-2 1-methoxy-2-propanol (2.5-5%)

WEL (Great Britain)	Short-term value: 560 mg/m ³ , 150 ppm Long-term value: 375 mg/m ³ , 100 ppm Sk
IOELV (European Union)	Short-term value: 568 mg/m ³ , 150 ppm Long-term value: 375 mg/m ³ , 100 ppm Skin

1310-58-3 Potassium hydroxide (2.5-5%)

WEL (Great Britain)	Short-term value: 2 mg/m ³
---------------------	---------------------------------------

1310-73-2 sodium hydroxide (1-2.5%)

WEL (Great Britain)	Short-term value: 2 mg/m ³
---------------------	---------------------------------------

34590-94-8 (2-methoxymethylethoxy)propanol (1-2.5%)

WEL (Great Britain)	Long-term value: 308 mg/m ³ , 50 ppm Sk
IOELV (European Union)	Long-term value: 308 mg/m ³ , 50 ppm Skin

DNELs

107-98-2 1-methoxy-2-propanol

Oral	DNEL Long term-systemic	3.3 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	18.1 mg/kg human/day (consumer) 50.6 mg/kg human/day (worker)
Inhalative	DNEL Acute-local mg/m ³	553.5 mg/m ³ (worker)
	DNEL Long term-systemic mg/m ³	43.9 mg/m ³ (consumer) 369 mg/m ³ (worker)

1310-58-3 Potassium hydroxide

Inhalative	DNEL Long term local mg/m ³	1 mg/m ³ (worker)
------------	--	------------------------------

1310-73-2 sodium hydroxide

Inhalative	DNEL Long term local mg/m ³	1 mg/m ³ (consumer)
		1 mg/m ³ (worker)

532-32-1 sodium benzoate

Oral	DNEL Long term-systemic	25 mg/kg human/day (consumer)
------	-------------------------	-------------------------------

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version: 3

Revision: 26.11.2014

Trade name: SOL DEGREASER

(Contd. of page 4)

Dermal	DNEL Long term-local	2.7 mg/kg human/day (consumer) 4.5 mg/kg human/day (worker)
	DNEL Long term-systemic	20.8 mg/kg human/day (consumer) 34.7 mg/kg human/day (worker)
Inhalative	DNEL Long term local mg/m ³	1.3 mg/m ³ (consumer) 6.3 mg/m ³ (worker)
	DNEL Long term-systemic mg/m ³	2.1 mg/m ³ (consumer) 10.4 mg/m ³ (worker)

· **PNECs****107-98-2 1-methoxy-2-propanol**

PNEC Freshwater mg/L	10 mg/L (-)
PNEC Freshwater sediment	41.6 mg/Kg (-)
PNEC Marine water sediment	4.17 mg/Kg (-)
PNEC Sewage treatment Plant mg/L	100 mg/L (-)
PNEC Soil	2.47 mg/Kg (-)

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· **Respiratory protection:** Not required.· **Protection of hands:**

Protective gloves

Rubber gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Rubber gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves· **Eye protection:**

Tightly sealed goggles

· **Body protection:** Alkaline resistant protective clothing**SECTION 9: Physical and chemical properties**· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form:	Liquid
Colour:	bicomponent: Red-colourless
Odour:	Characteristic

(Contd. on page 6)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version: 3

Revision: 26.11.2014

Trade name: SOL DEGREASER

(Contd. of page 5)

· Odour threshold:	Not determined.
· pH-value at 20 °C:	>13
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Solids content:	59.9 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Strong exothermic reaction with acids.
Reacts with acids.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

61827-42-7 Laureth-7

Dermal	LD50	> 2000 mg/kg (Rat)
--------	------	--------------------

107-98-2 1-methoxy-2-propanol

Oral	LD50	4016 mg/kg (Rat)
Dermal	LD50	2000 mg/kg (Rabbit)
Inhalative	LC50 / 4 h	27596 mg/ltr (Rat)

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version: 3

Revision: 26.11.2014

Trade name: SOL DEGREASER

(Contd. of page 6)

	EC 50 / 48 h (static)	23300 mg/ltr (Daphnia magna (water flea))
	LC50 / 96 h (static)	6812 mg/ltr (Leuciscus idus)
1310-58-3 Potassium hydroxide		
Oral	LD50	333 mg/kg (Rat)
	LC50/ 24 h	80 mg/ltr (fish)
10213-79-3 disodium metasilicate		
Oral	LD50	>1000 mg/kg (Rat)
	LC50 / 96 h	>200 mg/ltr (Daphnia magna (water flea))
1310-73-2 sodium hydroxide		
Oral	LD50	2000 mg/kg (Rat)
Dermal	LD50	1350 mg/kg (Rabbit)
	LC50 / 96 h	125 mg/ltr (Gambusia affinis)
497-19-8 sodium carbonate		
Oral	LD50	4000 mg/kg (Rat)
2809-21-4 1-Hydroxyethylene-1,1-diphosphonicacid		
Oral	LD50	>6000 mg/kg (Rat)
532-32-1 sodium benzoate		
	EC 50 / 48 h	>100 mg/ltr (Daphnia magna (water flea))
	EC 50 / 72 H	>100 (Selenastrum capricornutum (Algae))
	LC50 / 96 h	>100 mg/ltr (fish)

· **Primary irritant effect:**

· **on the skin:**

Strong caustic effect on skin and mucous membranes.

Caustic effect on skin and mucous membranes.

· **on the eye:** Strong caustic effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **Other information:** The product is biodegradable.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version: 3

Revision: 26.11.2014



Trade name: SOL DEGREASER

(Contd. of page 7)

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN3266
- **14.2 UN proper shipping name**
- **ADR** 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE)
- **IMDG, IATA** CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE)
- **14.3 Transport hazard class(es)**
- **ADR**
- 
- **Class** 8 (C5) Corrosive substances.
- **Label** 8
- **IMDG, IATA**
- 
- **Class** 8 Corrosive substances.
- **Label** 8
- **14.4 Packing group**
- **ADR, IMDG, IATA** II
- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **14.6 Special precautions for user** Warning: Corrosive substances.
- **Danger code (Kemler):** 88
- **EMS Number:** F-A,S-B
- **Segregation groups** Alkalis
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **Transport/Additional information:**
- **ADR**
- **Limited quantities (LQ)** 1L
- **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
- **Transport category** 2
- **Tunnel restriction code** E
- **IMDG**
- **Limited quantities (LQ)** 1L
- **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

(Contd. on page 9)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version: 3

Revision: 26.11.2014

Trade name: SOL DEGREASER

(Contd. of page 8)

· UN "Model Regulation":

UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

· Technical instructions (air):

Class	Share in %
NK	5-10

· Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

R10 Flammable.

R22 Harmful if swallowed.

R34 Causes burns.

R35 Causes severe burns.

R36 Irritating to eyes.

R37 Irritating to respiratory system.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

R67 Vapours may cause drowsiness and dizziness.

· Department issuing MSDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version: 3

Revision: 26.11.2014

Trade name: SOL DEGREASER

(Contd. of page 9)

*Flam. Liq. 3: Flammable liquids, Hazard Category 3**Met. Corr. 1: Corrosive to metals, Hazard Category 1**Acute Tox. 4: Acute toxicity, Hazard Category 4**Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A**Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B**Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2**Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1**Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2**STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3*** Data compared to the previous version altered.*

GB